



KDIGO Controversies Conference on Green Dialysis: Environmentally Sustainable Care, Growth, and Innovation

April 24–27, 2025

Berlin, Germany

Scope of Work

Kidney Disease: Improving Global Outcomes (KDIGO) is an international organization whose mission is to improve the care and outcomes of people with kidney disease worldwide by promoting coordination, collaboration, and integration of initiatives to develop and implement clinical practice guidelines. KDIGO also regularly hosts Controversies Conferences on a focused subject pertaining to kidney disease to review state-of-the-art evidence, set priorities for improving patient care and outcomes, and highlight areas for which additional research is needed.

CONFERENCE BACKGROUND AND RELEVANCE

Climate change and kidney disease are interconnected, with each contributing to and worsening the other. Extreme heat elevates the risk of both acute kidney injury and chronic kidney disease (CKD), while higher ambient temperatures promote kidney stone disease.^{1,2} Air pollution, largely driven by fossil fuel combustion, is associated with increased risk of incident CKD, CKD progression, kidney failure, and death due to kidney disease.³

At the same time, dialysis therapies are among the most carbon-intensive medical therapies, driven by their high energy consumption, heavy reliance on disposable materials, and frequent and ongoing treatments.⁴ A substantial part of the carbon footprint of home dialysis (peritoneal dialysis and home hemodialysis) is the production and transportation of consumables to patients.⁵ Beyond carbon emissions, both hemo- and peritoneal dialysis are associated with vast water usage and plastic pollution, and their effects on other environmental parameters remain largely undescribed.⁴



There are both ethical and regulatory imperatives for the kidney care community to reduce its environmental footprint. Additionally, there is a practical necessity: in an increasingly resource-constrained world, global dialysis services must adopt targeted measures to reduce resource consumption and associated costs if the current quality of care is to be maintained or improved amid ever-growing demand. Similarly, increasing access to dialysis in underserved regions relies on developing sustainable, resource-efficient models of care that can be scaled to meet the needs of these populations without compromising the environment or incurring prohibitive costs.

Fortunately, many examples of where and how changes can be made already exist. Innovative “green dialysis” initiatives have been implemented successfully in the United Kingdom, European Union, Australia, and elsewhere.^{4,6-9} The main challenge now lies in achieving rapid and widespread adoption of these practices across diverse regions. Additionally, there is an urgent need for new technologies and models of care. In hemodialysis, key areas for innovation include the development of more efficient water-purification systems and energy-saving equipment. For peritoneal dialysis, point-of-care dialysate generation could significantly reduce carbon emissions associated with transport. Across both modalities, innovations in waste management and recycling technologies and the introduction of novel bioplastics or other strategies to reduce harmful disposable materials could greatly mitigate environmental impact.

Previously KDIGO has addressed contemporary dialysis topics such as optimal dialysis prescription, blood pressure and volume management, home dialysis, and approaches for assessing and ameliorating symptom burden. This conference intends to be forward-looking, appraising novel promising green dialysis technologies both in the present and beyond. By so doing, we acknowledge that broad efforts to reduce the environmental impact of kidney care must first and foremost focus on promoting health, recognizing early disease, and slowing disease progression. Work is also required to improve access to non-dialysis kidney failure therapies (transplantation and supportive care) for appropriate patients. Nevertheless, given the disproportionately high environmental impact of dialysis, the growing number of individuals requiring this therapy, and the limited attention this field has received previously, the scope of this conference will be limited to dialysis.



CONFERENCE OVERVIEW

Drs. Katherine Barraclough (Royal Melbourne Hospital, Australia) and Jennifer Flythe (University of North Carolina, USA) will co-chair this conference. The format of the conference will involve topical plenary session presentations followed by focused discussion groups that will report back to the full group for consensus building. This highly interactive conference will invite key thought leaders and relevant stakeholders, including patients, and experts in nephrology (adult and pediatric) and other related disciplines (environmental science, epidemiology, ethics, nursing, social work, etc.) who will comprehensively review the literature and current state of understanding in this area and address clinical issues as outlined in the **Appendix: Scope of Coverage**. The conference output will include the publication of a position statement that will help guide KDIGO and others on setting priorities for improving dialysis sustainability and access.

APPENDIX: SCOPE OF COVERAGE

Breakout Group 1: Optimizing existing hemodialysis (HD) and peritoneal dialysis (PD) practices to promote environmental sustainability

1. Using existing technologies, how can we optimize dialysis prescriptions to promote environmental sustainability?

- a) How can standard HD (in-center and home) and PD prescriptions be tailored and/or personalized?
- b) How can we appropriately determine the indications for hemodiafiltration and tailor prescriptions to reduce environmental impact?
- c) How should nutrition be managed to support the personalization of dialysis prescriptions?
- d) What barriers limit the uptake of optimization strategies discussed in a) through c), and how might these barriers be overcome?

2. Using existing technologies, how can we reduce dialysis-associated water and energy consumption?

- a) How can reverse osmosis (RO) settings, water capture, and recycling be optimized?
- b) How can HD machine disinfection be optimized?
- c) How can dialysate and reinfusion flows be optimized?
- d) What opportunities exist to reduce the impact of PD effluent drainage?
- e) What factors should be considered when selecting an RO plant for a dialysis facility (e.g. size, placement relative to dialysis chairs)?
- f) What barriers limit the uptake of the optimization strategies discussed in a) through e), and how might these barriers be overcome?

3. Using existing technologies, how can we optimize waste management?

- a) How can we optimize point-of-care waste segregation?
- b) How can we optimize management of waste from electronic equipment?
- c) What factors should be considered during product/equipment selection or procurement to minimize waste generation and optimize waste management?
- d) How can we better take advantage of existing recycling options (paper, glass, plastics)?
- e) What barriers might limit the uptake of the optimization strategies discussed in a) through d), and how might these barriers be overcome?

4. How can health system and policy initiatives support environmentally sustainable dialysis (HD and PD)?

- a) How can sustainability efforts be effectively measured, monitored, and reported in dialysis units?
- b) What are the economic implications of transitioning to greener HD and PD practices, and how can these be leveraged to accelerate adoption?
- c) What role do regulatory bodies play in encouraging and enforcing environmentally sustainable practices in HD and PD?
- d) What are the specific challenges in low-resource settings?

Breakout Group 2: Identifying and developing green innovations in hemodialysis (HD)

1. What equipment innovations could enhance the environmental sustainability of home and in-center HD?

- a) How can centralized delivery of acid concentrate contribute?
- b) What role could shorter bloodlines play?
- c) Is there a role for bio-based and biodegradable plastics in HD?
- d) What potential does forward osmosis have in reducing HD water usage?
- e) What improvements are needed to enhance the innovations discussed in a) through d) and increase their likelihood of success?
- f) What barriers could hinder the development and adoption of these innovations, and how can they be addressed?

2. Can wearable and implantable dialysis devices contribute to improving the environmental sustainability of HD?

- a) In what ways do wearable and implantable kidneys improve environmental sustainability compared to traditional HD?
- b) How can environmentally friendly materials be incorporated into wearable and implantable kidneys?
- c) What measures are necessary to ensure that the development of wearable and implantable kidneys is as environmentally sustainable as possible?
- d) What barriers exist in the development and adoption of wearable and implantable kidneys, and how might they be overcome?
- e) How do we ensure that these technologies are developed with environmental sustainability in mind?



3. What innovations in waste processing and management are needed to promote the environmental sustainability of HD?

- a) Is there a role for on-site waste management? If so, what?
- b) Are particular on-site waste management technologies more environmentally friendly than others?
- c) What are the barriers to implementation of “green” waste management innovations, and how might they be overcome?

4. What role might reusing spent dialysate play in improving the environmental sustainability of HD?

- a) What are the technical, microbiological, financial, and environmental barriers to reuse of spent dialysate?
- b) How might these barriers be overcome?



Breakout Group 3: Identifying and developing green innovations in peritoneal dialysis (PD)

- 1. What innovations are needed to reduce the environmental impact associated with the production and transport of PD fluids and consumables?**
 - a) How could packaging be redesigned or eliminated?
 - b) Could local or regional production of dialysate offer environmental benefits compared to centralized manufacturing?
 - c) What technological advances are required to support point-of-care dialysate generation?
 - d) What is the potential of sorbent technologies?
 - e) How can effluent drainage systems (e.g., drain lines and drainage bags) be reimagined?
 - f) What are the barriers to realizing the technologic advances discussed in a) through e), and how might these barriers be overcome?

- 2. What innovations and end-use management innovations are required to make PD plastics more environmentally sustainable?**
 - a) What role could the development of bioplastics, reusable or reprocessible materials, and alternative solutions like non-physical vapor deposition coatings play?
 - b) What innovations are required to enhance the recycling of PD plastics (e.g., excluding adhesives, inks, and other residues or optimizing local or regional recycling infrastructure)?
 - c) How might PD plastic waste be monetized?



- d) What are the barriers to realizing the technologic advances discussed in a) through c), and how might they be overcome?
3. **How might operational innovations reduce the environmental impact of PD?**
- a) How can emissions related to patient and staff travel be reduced?
 - b) How might delivery systems and home storage be reconceived?
 - c) What innovations in cyclor functionality and design are needed to reduce energy, consumable use, and waste production?
 - d) How do factors such as geographic location, urban vs. rural settings, resource availability, and water scarcity influence opportunities to improve the environmental sustainability of PD?

References

1. Stigant, C.E., *et al.* Our shared responsibility: the urgent necessity of global environmentally sustainable kidney care. *Kidney Int* **104**, 12-15 (2023).
2. Borg, M.A. & Bi, P. The impact of climate change on kidney health. *Nat Rev Nephrol* **17**, 294-295 (2021).
3. Al-Aly, Z. & Bowe, B. Air pollution and kidney disease. *Clin J Am Soc Nephrol* **15**, 301-303 (2020).
4. Barraclough, K.A. & Agar, J.W.M. Green nephrology. *Nat Rev Nephrol* **16**, 257-268 (2020).
5. McAlister, S., *et al.* The carbon footprint of peritoneal dialysis in Australia. *J Am Soc Nephrol* (2024).
6. Agar, J.W., Simmonds, R.E., Knight, R. & Somerville, C.A. Using water wisely: new, affordable, and essential water conservation practices for facility and home hemodialysis. *Hemodial Int* **13**, 32-37 (2009).
7. Bendine, G., *et al.* Haemodialysis therapy and sustainable growth: a corporate experience in France. *Nephrol Dial Transplant* **35**, 2154-2160 (2020).
8. Chang, E., Lim, J.A., Low, C.L. & Kassim, A. Reuse of dialysis reverse osmosis reject water for aquaponics and horticulture. *J Nephrol* **34**, 97-104 (2021).
9. Connor, A., *et al.* Toward greener dialysis: a case study to illustrate and encourage the salvage of reject water. *J Ren Care* **36**, 68-72 (2010).